

Section 1 Identification.

Product name:

NOCO® NCP2® Battery Corrosion Preventive Spray

Product Number:

A202

Product Number: A202

Product Name: NOCO® NCP2® Battery Corrosion Preventive Spray

Manufacturer's Name: The NOCO Company
30339 Diamond Parkway, #102
Glenwillow, OH 44139

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a).

All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312): A202 = | Acute | Chronic | Fire |

Product Weight: 6.42 lb/gal

Specific Gravity: 0.77

Flash Point: -20 °F PMCC

Volatile Ingredients

Chemical/ Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	15	23
Ethylbenzene 100-41-4	N	Y	Y	Y	2	2
Xylene 1330-20-7	N	Y	Y	Y	13	11
Acetone 67-64-1	N	Y	N	N	20	19
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	10	10

Section 2 Volatile Organic Compounds - U.S. EPA / Canada.

A202		
	LB/Gal	g/L
Coating Density	6.42	769
	By wt	By vol
Total Volatiles	60.0%	65.3%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	20.0%	19.5%
Organic Volatiles	40.0%	45.8%
Percent Non-Volatile	40.0%	34.7%
VOC Content	LB/Gal	g/L
Total	2.56	307
Less exempt solvents	3.19	382
Of solids	7.39	886
Of solids	1.00 lb/lb	1.00 kg/kg
	By wt	
By wt LVP-VOC	40.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.35

Section 3 Volatile Organic Compounds - California.

A202		
	LB/Gal	g/L
Coating Density	6.42	769
	By wt	By vol
Total Volatiles	60.0%	65.3%
Exempt solvents		
Water	0.0%	0.0%
Acetone	20.0%	19.5%
Organic Volatiles	40.0%	45.8%
Percent Non-Volatile	40.0%	34.7%
VOC Content	LB/Gal	g/L
Total	2.56	307
Less exempt solvents	3.19	382
Of solids	7.39	886
Of solids	1.00 lb/lb	1.00 kg/kg
	By wt	
By wt LVP-VOC	40.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010)
1.33

Section 4 Volatile Organic Compounds - South Coast Air Quality Management District, California, US.

A202		
	LB/Gal	g/L
Coating Density	6.42	769
	By wt	By vol
Total Volatiles	60.0%	65.3%
Exempt solvents		
Water	0.0%	0.0%
Acetone	20.0%	19.5%
Organic Volatiles	40.0%	45.8%
Percent Non-Volatile	40.0%	34.7%
VOC Content	LB/Gal	g/L
Total	2.56	307
Less exempt solvents	3.19	382
Of solids	7.39	886
Of solids	1.00 lb/lb	1.00 kg/kg

Section 5 Volatile Organic Compounds - EU Directive 2004/42/EC.

A202		
	By wt	By vol
Total Volatiles	60.0%	65.3%
VOC Content	LB/gal	g/L
Total	3.85	461

Section 6 Volatile Organic Compounds - EU Directive 2010/75/EU.

A202		
	By wt	By vol
Total Volatiles	60.0%	65.3%
VOC Content	LB/gal	g/L
Total	3.85	461

Section 7 Volatile Organic Compounds - Mexico.

	A202	
	LB/Gal	g/L
Coating Density	6.42	769
	By wt	By vol
Total Volatiles	60.0%	65.3%
Exempt solvents		
Water	0.0%	0.0%
Acetone	20.0%	19.5%
Organic Volatiles	40.0%	45.8%
Percent Non-Volatile	40.0%	34.7%
VOC Content	LB/Gal	g/L
Total	2.56	307
Less exempt solvents	3.19	382
Of solids	7.39	886
Of solids	1.00 lb/lb	1.00 kg/kg

Section 8 Hazardous Air Pollutants (Clean Air Act, Section 112(b)).

	A202	
	LB/gal	g/L
Volatile HAPS	0.96	0.115
Of solids	2.77	0.332
Of solids	0.37 lb/lb	0.37 kg/kg

Section 9 Air Quality Data.

Density of Organic Solvent Blend: 5.90 lb/gal

Photochemically Reactive: Yes

Section 10 Additional Regulatory Information.

US EPA TSCA: Not Applicable

Relevant identified uses of the
substance or mixture and uses
advised against: Not Applicable

Section 11 Waste Disposal.

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Prepared on: July 11, 2020

Revised on: December 18, 2023