

Section 1 Identification.

Product name:

NOCO® REMOVE+ Battery Cleaner + Acid Detector

Product Number:

E404

Product Number: E404

Product Name: NOCO® REMOVE+ Battery Cleaner + Acid Detector

Manufacturer's Name: The NOCO Company
30339 Diamond Parkway, #102
Glenwillow, OH 44139

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a).

All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312): E404 = | Acute | Chronic | Fire |

Product Weight: 7.71 lb/gal

Specific Gravity: 0.93

Flash Point: -20 °F PMCC

Volatile Ingredients

Chemical/ Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	3	6
Butane 106-97-8	N	N	N	N	7	11
2-Propanol 67-63-0	N	N	N	N	6	7
Water 7732-18-5	N	N	N	N	81	75

Section 2 Volatile Organic Compounds - U.S. EPA / Canada.

E404		
	LB/Gal	g/L
Coating Density	7.71	923
	By wt	By vol
Total Volatiles	96.7%	98.5%
Federally exempt solvents		
Water	80.7%	74.9%
Organic Volatiles	15.9%	23.5%
Percent Non-Volatile	3.3%	1.5%
VOC Content	LB/Gal	g/L
Total	1.22	146
Less exempt solvents	4.88	585
Of solids	80.29	9621
Of solids	4.81 lb/lb	4.81 kg/kg
	By wt	
By wt LVP-VOC	15.9%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.15

Section 3 Volatile Organic Compounds - California.

E404		
	LB/Gal	g/L
Coating Density	7.71	923
	By wt	By vol
Total Volatiles	96.7%	98.5%
Exempt solvents		
Water	80.7%	74.9%
Organic Volatiles	15.9%	23.5%
Percent Non-Volatile	3.3%	1.5%
VOC Content	LB/Gal	g/L
Total	1.22	146
Less exempt solvents	4.88	585
Of solids	80.29	9621
Of solids	4.81 lb/lb	4.81 kg/kg
	By wt	
By wt LVP-VOC	15.9%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010)
0.13

Section 4 Volatile Organic Compounds - South Coast Air Quality Management District, California, US.

E404		
	LB/Gal	g/L
Coating Density	7.71	923
	By wt	By vol
Total Volatiles	96.7%	98.5%
Exempt solvents		
Water	80.7%	74.9%
Organic Volatiles	15.9%	23.5%
Percent Non-Volatile	3.3%	1.5%
VOC Content	LB/Gal	g/L
Total	1.22	146
Less exempt solvents	4.88	585
Of solids	80.29	9621
Of solids	4.81 lb/lb	4.81 kg/kg

Section 5 Volatile Organic Compounds - EU Directive 2004/42/EC.

E404		
	By wt	By vol
Total Volatiles	96.7%	98.5%
VOC Content	LB/gal	g/L
Total	1.22	146

Section 6 Volatile Organic Compounds - EU Directive 2010/75/EU.

E404		
	By wt	By vol
Total Volatiles	96.7%	98.5%
VOC Content	LB/gal	g/L
Total	1.22	146

Section 7 Volatile Organic Compounds - Mexico.

E404		
	LB/Gal	g/L
Coating Density	7.71	923
	By wt	By vol
Total Volatiles	96.7%	98.5%
Exempt solvents		
Water	80.7%	74.9%
Organic Volatiles	15.9%	23.5%
Percent Non-Volatile	3.3%	1.5%
VOC Content	LB/Gal	g/L
Total	1.22	146
Less exempt solvents	4.88	585
Of solids	80.29	9621
Of solids	4.81 lb/lb	4.81 kg/kg

Section 8 Hazardous Air Pollutants (Clean Air Act, Section 112(b)).

E404		
	LB/gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Section 9 Air Quality Data.

Density of Organic Solvent Blend: 5.22 lb/gal

Photochemically Reactive: No

Section 10 Additional Regulatory Information.

US EPA TSCA: Not Applicable

Relevant identified uses of the
substance or mixture and uses
advised against: Not Applicable

Section 11 Waste Disposal.

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Prepared on: May 13, 2020

Revised on: December 18, 2023