The NOCO Company

UN 38.3 TEST SUMMARY REPORT: LITHIUM CELLS OR BATTERIES TEST SUMMARY IN ACCORDANCE WITH SUB-SECTION 38.3 OF

MANUAL OF TESTS AND CRITERIA

PRODUCT MANUFACTURER'S CONTACT INFORMATION:

The NOCO Company 30339 Diamond Parkway #102 Glenwillow, Ohio 44139 USA 1.800.456.6626

Website: www.no.co email: info@no.co

BATTERY MANUFACTURER(S):

Confidential and Proprietary Information of The NOCO Company

BATTERY MANUFACTURER A

BATTERY MANUFACTURER B UN38.3 TEST LAB

UN38.3 TEST LAB

Guangzhou MCM Certification and Testing Co., Ltd. 1F No. 13, Zhong San Section, Shi Guang Road Panyu District, Guangzhou City, Guangdong Province, China

86.20.24777662

TESTS DEDECIDMEN

Website: www.mcmtek.com email: 24h@mcmtek.com

Guangdong UTL Co., Ltd.

Lianding Testing Bldg., No. 18 Center Road Yayuan Industrial Zone Nancheng District, Dongguan, Guangdong, China

86.769.3893.3228 Website: www.gdutl.com email: sales@gdutl.com

TESTS DEDECIDMEN

| | | <u> </u> | |
|------------------------|-------------------------|------------------------|-------------------------|
| Test Report No: | SF20180814U03 | Test Report No: | 19PNS080054 02001 |
| Test Report Date: | 1/26/2019 | Test Report Date: | 8/9/2019 |
| Test Item Description: | Jump Starter Grey/Black | Test Item Description: | Jump Starter Grey/Black |
| Model/Type Reference: | GB40 | Model/Type Reference: | GB40 |
| Cell/Battery Type: | Lithium Ion | Cell/Battery Type: | Lithium Ion |
| Nominal Voltage: | 11.1 | Nominal Voltage: | 11.1 |
| Rated Capacity mAH: | 2150 | Rated Capacity mAH: | 2150 |
| Watt Hour Capacity: | 24 | Watt Hour Capacity: | 24 |
| Lithium Content: | 1.935g | Lithium Content: | 1.935g |
| Mass: | 545g | Mass: | 548g |
| Dimensions: | 6.6" x 3.2" x 1.7" | Dimensions: | 6.6" x 3.2" x 1.7" |

SIXTH REVISED EDITION OF UN MANUAL OF TESTS AND CRITERIA USED:

| IESISP | ENFUNIVIED | | | | IESIS PE | ENFUNIVIED | | |
|----------|------------------|-------------------------|------------|---|----------|---------------|-----------------------------|------------|
| TEST(S) | | | Conclusion | - | TEST(S) | | | Conclusion |
| 38.3.4.1 | T.1: | Altitude Simulation: | PASS | , | 38.3.4.1 | T.1: | Altitude Simulation: | PASS |
| 38.3.4.2 | T.2: | Thermal Test: | PASS | 4 | 38.3.4.2 | T.2: | Thermal Test: | PASS |
| 38.3.4.3 | T.3: | Vibration: | PASS | ; | 38.3.4.3 | T.3: | Vibration: | PASS |
| 38.3.4.4 | T.4: | Shock: | PASS | 4 | 38.3.4.4 | T.4: | Shock: | PASS |
| 38.3.4.5 | T.5: | External Short Circuit: | PASS | (| 38.3.4.5 | T.5: | External Short Circuit: | PASS |
| 38.3.4.6 | T.6: | Impact/Crush: | N/A PASS | 4 | 38.3.4.6 | T.6: | Impact/Crush: | N/A PASS |
| 38.3.4.7 | T.7: | Overcharge: | PASS | ; | 38.3.4.7 | T.7: | Overcharge: | PASS |
| 38.3.4.8 | T.8: | Forced Discharge: | PASS | 4 | 38.3.4.8 | T.8: | Forced Discharge: | PASS |
| | Assembled Batter | y Testing Requirements: | N/A | | | Assembled Bat | ttery Testing Requirements: | N/A |

PRODUCT CLASSIFICATION FOR TRANSPORT (According to UN - DGP)

UN CLASSIFICATION: UN3480 PROPER SHIPPING NAME: LITHIUM ION BATTERIES

SIGNATURE AND TITLE OF SIGNATORY AS AN INDICATION OF THE VALIDITY OF INFORMATION PROVIDED:

LindaM. Szymanski

Linda M. Szymanski, Compliance Manager

This document remains valid as long as no changes, modifications, or additions are made to the model(s) described on this document, after being transported from The NOCO Company. The model(s) have been classified according to the applicable transport regulations and the UN Manual of Tests and Criteria as of the date of the certification. The model(s) must be packaged, labeled, and documented according to the country and other international regulations for transportation.

Date Document was generated: November 18, 2019

